

**MELISSA HARTMANN** 








# The ultimate tow tractor. Reinvented.


The industry benchmark for compact tow tractors has once again raised the bar. Still a quiet and low-maintenance workhorse with an unbeatable turning radius and up to 20,000-lb. towing capacity, but now with leaf spring suspension and shock absorbers, flat-free solid softy tires, inching control, protected electrical components and much more – all standard. Power and performance are delivered through a brushless AC powertrain with efficient direct-drive differential, hefty 1" rear-end plate and large drum brakes. We"ve also got your back with a long list of standard ergonomic and safety features. EE rating available.




**Tow Tractors** Other Models : 36V, 48V HD









## Dimensions

#### VEHICLE

Height	58"	1,473 mm
Length	62"	1,575 mm
Width	38"	965 mm
Wheel Base	40.8"	1,035 mm
Ground Clearance	4"	102 mm
DECK		
Height	26.5"	673 mm
Width	37"	940 mm
Length	16.3"	413 mm
UNIT WEIGHT		
With Batteries	n/a	n/a
Without Batteries	1,600 lbs	726 kg
BATTERIES		
Height	24"	610 mm
Length	35.8"	908 mm
Width	16.8"	425 mm
Weight - Min	1300	1300
Weight - Max		

#### Performances

VEHICLE		
Passengers	1	
Load Capacity	500 lbs	227 kg
Tow Capacity	16,000 lbs	7,257 kg
Drawbar Pull - Normal	400 lbs	1,779 N
Drawbar Pull - Ultimate	1,200 lbs	5,338 N
Speed MPH	8 mph	13 km/h
Turning Radius	59"	1,499 mm

Vehicle shown may have optional accessories and is provided for illustrative purposes only.

Specifications and standard equipment are subject to change without notice.

### **Specifications**

## POWERTRAIN

Motor	15 HP brushless AC motor	
Controller	Electronic AC speed controller	
Drive Axle	Helical gear differential	
Brakes	Rear wheel hydraulic drum brakes, regenerative braking	
Wheels	Solid tires	
Transmission	Direct drive	
Suspension	Leaf springs rear suspension system	
Starter	n/a	
Clutch	n/a	
Engine	n/a	
ENERGY		
Voltage	48 Volt	
Battery	No battery included	
Charger	No charger included	
Alternator	n/a	
Fuel	n/a	
CHASSIS		
Body	All-steel unibody construction, 1" rear-end plate, powder coating	
Color	Security orange or federal yellow	
Lights	LED dual headlights & tail/brake lights	

OPERATOR COMPARTMENT

Steering	Automotive steering wheel	
Seats	Semi-suspension seat on slide adjusters	
Indicators	Multifunction display including speedometer,	
	battery state of charge, hour meter, odometer	
	and fault warnings. Password-protected	
	parameters and monitoring capability	
Safety	Reverse alarm, deadman seat switch, horn,	
	emergency stop button, anti slip griptape	
Accessories	48V/12V converter for 12-volt accessories, backlit and sealed buttons	

### Standards

Conforms to requirements for type E, UL 583, ANSI B56.9

MT340-BATT.COMP02	Roll-out battery compartment, 35.75'''''' x 17'''''' x 24.75''''''h
Hitches	
448-056	Clevis type hitch (1") with safety spring"
MT340-HITCH03	Hand-lever hitch release (for clevis and automatic coupling hitch)
Safety Features	
MT340-STROBE01	Strobe light on light bar (requires light bar option)
Seats	
224-SEAT03	Deluxe Grammer seat with suspension, cloth
Steering Systems	
MT340-STEERING02	Tilt and telescopic steering column (FWD/N/REV lever standard on right side)

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MT - 340 - 48V options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Melissa Hartmann Marketing Team



**Atlas Companies**