



## VEHICLE OVERVIEW

MELISSA HARTMANN

APRIL 8, 2021

### MT 440 MODEL IC

## Stylish and extremely powerful.

The MT-440 is the latest generation of heavy-duty tow tractors. Behind its stylish, compact design is a highly efficient hydrostatic powertrain, plenty of power to haul 30,000-lb. loads over long distances. Features like tight turning radius and shock-dampening suspension deliver exceptional maneuverability, stability and comfort. This highly robust, low-maintenance two-seater is built to last—from bolt-on bumper to bumper. EE rating available.

#### Tow Tractors

Other Models : 48V Narrow, 48V, 80V



 PASSENGERS  
2

 LOAD CAPACITY  
600 lbs




 TOWING CAPACITY  
30,000 lbs

 SPEED MPH  
10 mph

 TURNING RADIUS  
90"

#### FEATURES

- Built-to-last all-steel unibody construction
- Heavy-duty powder paint & protection
- Smooth-ride wheels in multiple models and options
- Reinforced bolt-on front bumper
- Versatile, heavy-duty hitches



### Dimensions

VEHICLE		
Height	46"	1,168 mm
Length	94.5"	2,400 mm
Width	45"	1,143 mm
Wheel Base	50"	1,270 mm
Ground Clearance	n/a	n/a
DECK		
Height	n/a	n/a
Width	n/a	n/a
Length	n/a	n/a
UNIT WEIGHT		
With Batteries	n/a	n/a
Without Batteries	n/a	n/a
BATTERIES		
Height	n/a	n/a
Length	n/a	n/a
Width	n/a	n/a
Weight - Min	n/a	n/a
Weight - Max	n/a	n/a

### Performances

VEHICLE		
Passengers	2	
Load Capacity	600 lbs	272 kg
Tow Capacity	30,000 lbs	13,608 kg
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	10 mph	16 km/h
Turning Radius	90"	2,286 mm

### Specifications

POWERTRAIN	
Motor	n/a
Controller	n/a
Drive Axle	n/a
Brakes	4-wheel hydraulic brakes, 11"
Wheels	Solid Tires
Transmission	Hydrostatic transmission
Suspension	Front and rear leaf spring suspensions, dual shock absorbers on front
Starter	12-V positive engaging starter
Clutch	Automotive control
Engine	Kubota, 3-cylinder, water-cooled, 4-cycle gas engine
ENERGY	
Voltage	n/a
Battery	n/a
Charger	n/a
Alternator	40 amp
Fuel	Unleaded gas
CHASSIS	
Body	All-steel unibody construction
Color	Security orange or federal yellow
Lights	LED dual headlights & tail/brake lights

OPERATOR COMPARTMENT	
Steering	Dual hydraulic rear wheel motors, Automotive steering wheel
Seats	Two bucket seats on slide adjusters
Indicators	Seat switch, neutral start switch, reverse alarm, low oil and high temperature automatic engine shut down
Safety	Horn, Fuel gauge, temperature gauge, hour meter
Accessories	Bolt-on Front Bumpers

### Standards

n/a

Vehicle shown may have optional accessories and is provided for illustrative purposes only.  
 Specifications and standard equipment are subject to change without notice.

## POPULAR OPTIONS

**GET THE IDEAL VEHICLE FOR THE JOB.**

With unlimited configurations, we make customization quick, easy and affordable.

---

### Cabs & Top Covers

G448HD-041	Steel cab & doors, sound insulation, wiper, rearview mirror
------------	---

### Equipments

330-055F	ABC fire extinguisher
----------	-----------------------

### Hitches

G448HD-056	1 3/8" Clevis type hitch with safety spring"
G448HD-052	Hand release for clevis hitch (requires clevis hitch)

### Safety Features

360-023	Motion beeper
360-026	Pole mounted strobe light

### Seats

360-049	Seat belts, retractable, two passengers
---------	---

### Steering Systems

448HD-100	Tilt-telescopic steering column
-----------	---------------------------------

*The list above shows the most popular options for this vehicle. More options are available. To learn more about the MT - 440 - IC options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.*



**Melissa Hartmann**  
Marketing Team

[mhartmann@AtlasLift.com](mailto:mhartmann@AtlasLift.com)

**Atlas Companies**



[www.motrec.com](http://www.motrec.com)