



VEHICLE OVERVIEW

MELISSA HARTMANN

APRIL 8, 2021

MC 360 MODEL IC

The Swiss Army Knife of Burden Carriers (IC engine, no electric version)

The MC-360 is our most versatile multi-passenger burden carrier. This durable, low-maintenance work truck easily hauls heavy loads over long distances, and can be equipped with decks of up to 96" to further reduce the number of trips per shift. Its short turning radius and well-balanced design with rear batteries ensure superior maneuverability, traction and braking for greater safety. Standard features include bolt-on front bumper, high-strength tubular frame and 14-G diamond-plate steel body. A UL-approved vehicle with unlimited configurations.



Personnel Carriers, Burden Carriers

Other Models : IC HD, IC SD


 PASSENGERS
2

 LOAD CAPACITY
2,000 lbs

 TOWING CAPACITY
6,000 lbs


 SPEED MPH
15 mph

 TURNING RADIUS
124"



FEATURES

- Built-to-last all-steel unibody construction
- Heavy-duty powder paint & protection
- Smooth-ride wheels in multiple models and options
- Reinforced bolt-on front bumper
- Versatile, heavy-duty hitches



Dimensions

VEHICLE

Height	46"	1,168 mm
Length	120"	3,048 mm
Width	44"	1,118 mm
Wheel Base	60"	1,524 mm
Ground Clearance	n/a	n/a

DECK

Height	27"	686 mm
Width	44"	1,118 mm
Length	76"	1,930 mm

UNIT WEIGHT

With Batteries	n/a	n/a
Without Batteries	n/a	n/a

BATTERIES

Height	n/a	n/a
Length	n/a	n/a
Width	n/a	n/a
Weight - Min	n/a	n/a
Weight - Max	n/a	n/a

Performances

VEHICLE

Passengers	2	
Load Capacity	2,000 lbs	907 kg
Tow Capacity	6,000 lbs	2,722 kg
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	15 mph	24 km/h
Turning Radius	124"	3,150 mm

Specifications

POWERTRAIN

Motor	n/a
Controller	n/a
Drive Axle	Rear differential with bevel gears
Brakes	Hydraulic, front discs, rear drums, hand lever parking brake
Wheels	5.7x8 LRB pneumatic tires
Transmission	CVT belt drive, F/N/R helical gears
Suspension	Front and rear leaf spring with shock absorber suspensions
Starter	12-V positive engaging starter
Clutch	Automatic centrifugal engagement
Engine	V-twin cylinders, fan-cooled, 4-cycle gas engine

ENERGY

Voltage	n/a
Battery	n/a
Charger	n/a
Alternator	16 amp flywheel alternator
Fuel	Unleaded regular gas only, 7 U.S. gallon tank capacity

CHASSIS

Body	14-G diamond-plate steel body, tubular frame
Color	Security orange or federal yellow
Lights	LED dual headlights & tail/brake lights

OPERATOR COMPARTMENT

Steering	Automotive steering wheel
Seats	Two bucket seats on slide adjusters
Indicators	Fuel gauge
Safety	Seat switch, neutral start switch, oil sentry, automatic engine shut down, reverse alarm, horn
Accessories	Neutral start switch, bolt-on front bumper

Standards

Conforms to UL 558 and ANSI B56.8



Vehicle shown may have optional accessories and is provided for illustrative purposes only.

Specifications and standard equipment are subject to change without notice.

POPULAR OPTIONS

GET THE IDEAL VEHICLE FOR THE JOB.

With unlimited configurations, we make customization quick, easy and affordable.

Cabs & Top Covers

G320-041	Steel cab & doors, wiper, rearview mirror, sound insulation
----------	---

Decks

360-054A	Steel cargo box. 10" deep."
----------	-----------------------------

Safety Features

360-026	Pole mounted strobe light
---------	---------------------------

Seats

360-051	Fold away seat, center (2 additional passengers)
---------	--

Wheels

360-077	500 x 8 solid soft rubber wheels
---------	----------------------------------

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MC - 360 - IC options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Melissa Hartmann
Marketing Team

mhartmann@AtlasLift.com

Atlas Companies



www.motrec.com