



VEHICLE OVERVIEW

MELISSA HARTMANN

APRIL 8, 2021

MC 360 MODEL IC SD

The Swiss Army Knife of Burden Carriers (IC engine, no electric version)

The MC-360 is our most versatile multi-passenger burden carrier with unlimited configurations. This durable, low-maintenance work truck easily hauls heavy loads over long distances, and can be equipped with decks of up to 96" to further reduce the number of trips per shift. Its short turning radius and well-balanced design ensure superior maneuverability, traction and braking for greater safety. Standard features include bolt-on front bumper, high-strength tubular frame and 14-G diamond-plate steel body.

*Optional cab.



Burden Carriers, Personnel Carriers

Other Models : IC, IC HD


 PASSENGERS
2

 LOAD CAPACITY
3,000 lbs

 TOWING CAPACITY
6,000 lbs

 SPEED MPH
15 mph

 TURNING RADIUS
124"



FEATURES

- Built-to-last all-steel unibody construction
- Heavy-duty powder paint & protection
- Smooth-ride wheels in multiple models and options
- Reinforced bolt-on front bumper
- Versatile, heavy-duty hitches

Dimensions

VEHICLE		
Height	46"	1,168 mm
Length	123"	3,124 mm
Width	44"	1,118 mm
Wheel Base	57"	1,448 mm
Ground Clearance	n/a	n/a
DECK		
Height	28"	711 mm
Width	48"	1,219 mm
Length	76"	1,930 mm
UNIT WEIGHT		
With Batteries	n/a	n/a
Without Batteries	n/a	n/a
BATTERIES		
Height	n/a	n/a
Length	n/a	n/a
Width	n/a	n/a
Weight - Min	n/a	n/a
Weight - Max	n/a	n/a

Performances

VEHICLE		
Passengers	2	
Load Capacity	3,000 lbs	1,361 kg
Tow Capacity	6,000 lbs	2,722 kg
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	15 mph	24 km/h
Turning Radius	124"	3,150 mm

Vehicle shown may have optional accessories and is provided for illustrative purposes only.
Specifications and standard equipment are subject to change without notice.

Specifications

POWERTRAIN	
Motor	n/a
Controller	n/a
Drive Axle	Dual hydraulic rear wheel motors
Brakes	4-wheel hydraulic 11" disc brakes, hand lever parking brake
Wheels	Pneumatic tires, front 5.7x8, rear 25x8x14
Transmission	Hydrostatic transmission
Suspension	Front and rear leaf spring with shock absorber suspensions
Starter	12-V positive engaging starter
Clutch	Automatic, automotive control
Engine	Kubota, 4-cylinder, water-cooled, 4-cycle diesel engine
ENERGY	
Voltage	n/a
Battery	n/a
Charger	n/a
Alternator	40 amp
Fuel	Diesel fuel
CHASSIS	
Body	14-G diamond-plate steel body, tubular frame
Color	Security orange or federal yellow
Lights	LED dual headlights & tail/brake lights

OPERATOR COMPARTMENT	
Steering	Automotive steering wheel
Seats	Two bucket seats on slide adjusters
Indicators	Fuel gauge with temperature gauge
Safety	Seat switch, neutral start switch, low oil and high temperature automatic engine shut down
Accessories	Horn

Standards

Conforms to UL 558 and ANSI B56.8



POPULAR OPTIONS

GET THE IDEAL VEHICLE FOR THE JOB.

With unlimited configurations, we make customization quick, easy and affordable.

Cabs & Top Covers

G320-041	Steel cab & doors, wiper, rearview mirror, sound insulation
----------	---

Decks

360-054A	Steel cargo box. 10" deep."
----------	-----------------------------

Safety Features

360-026	Pole mounted strobe light
---------	---------------------------

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MC - 360 - IC SD options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Melissa Hartmann
Marketing Team

mhartmann@AtlasLift.com

Atlas Companies



www.motrec.com