



VEHICLE OVERVIEW

MELISSA HARTMANN

APRIL 8, 2021

MC 660 MODEL 48V

The ultimate long-load workhorse.

The MC-660 is the ideal carrier for long and heavy loads of up to 6,000 lbs.—even over long distances. Its fully customizable modular design features a low, long flatbed cargo deck and powerful four-wheel drive. Also available in unlimited configurations including our cab option, or with the single seat and half-cowl for full-length deck space on the right side. A rugged, multi-purpose vehicle offering safe and dependable performance, even when handling the heaviest loads.



Burden Carriers

Other Models : IC


 PASSENGERS
2

 LOAD CAPACITY
3,500 lbs

 TOWING CAPACITY
6,000 lbs


 SPEED MPH
8 mph

 TURNING RADIUS
150"



FEATURES

- Heavy-duty braking power
- Energy-saving regenerative braking
- Inboard / portable high frequency PFC battery charger
- Built-to-last all-steel unibody construction
- Safe and comfortable all-steel cabs
- EE rating available



Dimensions

VEHICLE

Height	53"	1,346 mm
Length	130"	3,302 mm
Width	54"	1,372 mm
Wheel Base	77"	1,956 mm
Ground Clearance	n/a	n/a

DECK

Height	23"	584 mm
Width	54"	1,372 mm
Length	78"	1,981 mm

UNIT WEIGHT

With Batteries	n/a	n/a
Without Batteries	n/a	n/a

BATTERIES

Height	20"	508 mm
Length	22,5	22,5
Width	24,8	24,8
Weight - Min	n/a	n/a
Weight - Max	n/a	n/a

Performances

VEHICLE

Passengers	2	
Load Capacity	3,500 lbs	1,588 kg
Tow Capacity	6,000 lbs	2,722 kg
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	8 mph	13 km/h
Turning Radius	150"	3,810 mm

Specifications

POWERTRAIN

Motor	15 hp shunt motor motor
Controller	Electronic speed controller
Drive Axle	Differential with automotive ring gear
Brakes	Rear hydraulic brakes, Front hydraulic disc brakes, 11", regenerative braking
Wheels	5.7x8 LRD pneumatic tires
Transmission	Goodyear Eagle Synchronous drive
Suspension	Dual leaf springs on front and rear
Starter	n/a
Clutch	n/a
Engine	n/a

ENERGY

Voltage	48 Volt
Battery	No battery included Included
Charger	No Charger Included
Alternator	n/a
Fuel	n/a

CHASSIS

Body	14-G diamond-plate steel body, tubular frame
Color	Security orange or federal yellow
Lights	LED dual headlights & tail/brake lights

OPERATOR COMPARTMENT

Steering	Automotive steering wheel
Seats	Two bucket seats on slide adjusters
Indicators	Battery status indicator
Safety	Deadman seat switch, reverse alarm, Horn
Accessories	Bolt-on Front Bumper, DC/DC converter to equalize battery cells

Standards

Conforms to requirements for type E, UL 583, ANSI B56.9



Vehicle shown may have optional accessories and is provided for illustrative purposes only.

Specifications and standard equipment are subject to change without notice.

POPULAR OPTIONS

GET THE IDEAL VEHICLE FOR THE JOB.

With unlimited configurations, we make customization quick, easy and affordable.

Batteries & Chargers

660-017	High-frequency built-in charger
---------	---------------------------------

Battery Compartments

660-002	Lift-out battery box with eight 251AH/6V batteries
---------	--

Cabs & Top Covers

660-041	Steel cab and doors, wiper, rearview mirror
---------	---

Decks

660-081	96" deck length"
---------	------------------

Driver Area Options

480-020	Digital battery gauge with hour meter (included with AC package when applicable)
---------	--

Hitches

360-086	Clevis type hitch with safety spring
---------	--------------------------------------

Performances

660-085	7,000 lbs capacity, solid cushion wheels
---------	--

Safety Features

660-026	Pole mounted strobe light
---------	---------------------------

Seats

660-049	Seat belts, retractable, two passengers
---------	---

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MC - 660 - 48V options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Melissa Hartmann
Marketing Team

mhartmann@AtlasLift.com

Atlas Companies



www.motrec.com